

In the claims:

Claims 1-12 cancelled.

13. (currently amended) A housing part insertable in an axial direction into a housing for a drive unit, comprising a first component; a radial seal formed onto said first component for sealing the housing in a direction of radial forces perpendicular to the axial direction and composed of a second elastic component having a radial sealing surface for sealing the housing in a watertight fashion, wherein said housing part and said radial seal are produced by an injection molding process, and wherein ~~said radial seal has~~ at least one riser dome is formed on ~~itsaid radial seal~~ and ~~extending~~extends from said radial sealing surface in ~~an~~the axial direction.

14. (previously presented) A housing part for a drive unit as defined in Claim 13, wherein said radial seal has at least one second riser dome, so that said riser domes are situated radially inside said radial sealing surface.

15. (previously presented) A housing part for a drive unit as defined in Claim 13, wherein said radial sealing surface has no fusion seam.

16. (previously presented) A housing part for a drive unit as defined in Claim 13, wherein said radial seal is substantially rectangular in order to seal an essentially rectangular opening in the housing.

17. (previously presented) A housing part for a drive unit as defined in Claim 13, further comprising one gating point of said second component, situated radially inside said radial seal.

18. (previously presented) A housing part for a drive unit as defined in Claim 17, further comprising two connecting pieces extending from said gating point to a middle of long sides of said radial seal which is substantially rectangular, and two riser domes situated substantially in a middle of its short sides.

19. (previously presented) A housing part for a drive unit as defined in Claim 18, further comprising detent elements and attachable to corresponding counter part detent elements for fixing said housing part in place axially, wherein said riser domes are configured in form of axial play compensation elements equipped with an axial stop surface.

Claims 20-27 cancelled.

28. (new) A housing part for driving as defined in Claim 13, wherein said at least one riser dome is formed one piece on said radial seal so as to form a one-piece element with said radial seal.